UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/714,072	11/14/2003	Kilian Heitz	FR4-002	2625
	7590 12/16/200 OCKFIELD, LLP	8	EXAMINER	
FLOOR 30, SUITE 3000			LLOYD, EMILY M	
ONE POST OFFICE SQUARE BOSTON, MA 02109			ART UNIT	PAPER NUMBER
,			3736	
			MAIL DATE	DELIVERY MODE
			12/16/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of Non-Compliant Amendment (37 CFR 1.121)

Application No.	Applicant(s)
10/714,072	HEITZ, KILIAN
Examiner	Art Unit
EMILY M. LLOYD	3736

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

The amendment document filed on <u>10 October 2008</u> is consider requirements of 37 CFR 1.121 or 1.4. In order for the amendr item(s) is required.	
THE FOLLOWING MARKED (X) ITEM(S) CAUSE THE AMEI 1. Amendments to the specification: A. Amended paragraph(s) do not include mark B. New paragraph(s) should not be underlined C. Other <u>See Continuation Sheet</u> .	ings.
2. Abstract:A. Not presented on a separate sheet. 37 CFFB. Other	R 1.72.
"Annotated Sheet" as required by 37 CFR 1 B. The practice of submitting proposed drawin	he top margin as "Replacement Sheet," "New Sheet," or I.121(d). g correction has been eliminated. Replacement drawings s, in compliance with 37 CFR 1.84 are required.
 C. Each claim has not been provided with the of each claim cannot be identified. Note: the number by using one of the following status (Previously presented), (New), (Not entered 	ext of all pending claims (including withdrawn claims) proper status identifier, and as such, the individual status ne status of every claim must be indicated after its claim is identifiers: (Original), (Currently amended), (Canceled), d), (Withdrawn) and (Withdrawn-currently amended). not been presented in ascending numerical order.
For further explanation of the amendment format required by	37 CFR 1.121, see MPEP § 714.
TIME PERIODS FOR FILING A REPLY TO THIS NOTICE:	
 Applicant is given no new time period if the non-complia filed after allowance. If applicant wishes to resubmit the r entire corrected amendment must be resubmitted. 	
(including a submission for a request for continued exami amendment filed within a suspension period under 37 CF	following: a preliminary amendment, a non-final amendment nation (RCE) under 37 CFR 1.114), a supplemental R 1.103(a) or (c), and an amendment filed in response to a , the correction required is only the corrected section of the
Extensions of time are available under 37 CFR 1.136 amendment or an amendment filed in response to a Q	
filed in response to a Quayle action; or	nt amendment is a non-final amendment or an amendment
/Brian Szmal/ Examiner, Art Unit 3736	
10.00	D-11 - (D-11 - 1) - 00004044

Continuation of 1(c) Other: It is unclear which substitute specification is being modified by the 10 October 2008 amendment, as the page citations do not seem to correspond to the 17 May 2004 substitute specification which was the basis of the specification objections in the 28 December 2007 Non-Final Rejection, or the substitute specification submitted 30 June 2008, which has not been entered by the Examiner due to the noncompliance issues cited 12 September 2008. Further, additional noncompliant items exist in the 30 June 2008 substitute specification (for example, the paragraph ending on page 7 ends with a comma when it previously ended with a period, the first full paragraph on page 10 has a dash on its first line that wasn't in the 17 May 2004 substitute specification, a character that appeared to be a sigma was replaced with "o" or "a" on pages 13 and 14, and the comma in "pivotable, adjustable eyepiece" on the last page has been deleted). Further, the 10 October 2008 specification amendments request that a single paragraph of a previous specification be modified to have the contents of two paragraphs, which would result in duplicate text, and the comma in "pivotable, adjustable eyepiece" is still missing. Applicant is requested to thorougly review the 17 May 2004 substitute specification and the 28 December 2007 Non-Final Rejection and to provide amendments to the 17 May 2004 substitute specification as appropriate.